

Find:

Documents

Citations

Searching for PHRASE **upgrade toolbar software**.Restrict to: [Header](#) [Title](#) Order by: [Citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

1000 documents found. **Only retrieving 125 documents (System busy - maximum reduced)**. Retrieving documents... **Order: relevance to query**.[Office Of Teaching Resources In Psychology \(otrp\) - Department Of Psychology](#) (Correct)

Started (pp. 1-2) Selecting a Slide Layout Drawing **Toolbar** Setting the Size, Orientation, and Background
 Preparing Posters Using Powerpoint" Presentation **Software** Pam J. Marek, Anderson College, Andrew N.
 preparing posters using PowerPoint" presentation **software** with a PC. Although other **software** programs can
www.lemoyne.edu/OTRP/otrpresources/poster.pdf

[International Electrotechnical Commission - Iecstd Template Version](#) (Correct)

is indicated in the style box in the Formatting **toolbar**. By clicking on the down arrow, you can see all
www.iec.ch/pub/forms/iecstd.pdf

[QSIM Application Discrete Event Queueing Simulation Release 6.11 - Win Os Sun](#) (Correct)

in Figure 1.2. The window has two panels the **toolbar** panel on the left and the model panel on the
 This function must be cyclical and bounded. The **software** takes the absolute value of the rate function to
www.sas.com/rnd/app/papers/qsim.pdf

[QFD Software User's Manual - Qfd](#) (Correct)

the QFD **Software** 4 1.2. The Login 4 2. The **Toolbar** 6 2.1. New Project 6 2.2. Open Project 6 2.3.
 QFD For **Software** Evaluation By Fawsy Bendeck QFD **Software** User's
 QFD For **Software** Evaluation By Fawsy Bendeck QFD **Software** User's Manual Version i ii i QFD for
www.agr.informatik.uni-kl.de/~bendeck/qfd/QFDGuide.pdf

[Embedding R in Standard Software, and the other way round - Neuwirth, Baier \(2001\)](#) (Correct)

In the most basic interface, the user has a **toolbar** in Excel, and the **toolbar** looks like this:
 (eds.ISSN 1609-395X Embedding R in Standard **Software**, and the other way round Erich Neuwirth #
 Abstract We will discuss embedding R in standard **software** like spreadsheets to bring powerful statistical
www.ci.tuwien.ac.at/Conferences/DSC-2001/Proceedings/NeuwirthBaier.pdf

[Proton Storage Ring Control System Upgrade - Interim - Oothoudt, Bjorklund](#) (Correct)

Proton Storage Ring Control System **Upgrade** -Interim Status Michael A. Oothoudt, Eric
 that simultaneously supported all old and new **software** and hardware in the control system. The hybrid
 were approximately 3500 hardware channels and 400 **software** channels in the system when the **upgrade** began.
adwww.fnal.gov/www/icalpcs/abstracts/Postscript/w2be.ps

[Binary Translation: Static, Dynamic, Retargetable? - Cifuentes, Malhotra \(1996\)](#) (Correct)

when the organization makes a commitment to change/**upgrade** its existing computing equipment. The IEEE
 vmm@cs.utas.edu.au Abstract The porting of **software** to newer and faster machines using static binary
 paper presents techniques used to migrate legacy **software** running on register-based machines of the last
www.it.uq.edu.au/personal/cristina/icsm96.ps

[A Review of Post-Factum Software Integration Methods - Isazadeh, MacEwen, Malton \(1995\)](#) (Correct)

A Review of Post-Factum **Software** Integration Methods Ayaz Isazadeh Glenn H.
 presents a review and discussion of post-factum **software** systems integration. The problem is defined the
 issues are discussed. Integration of redundant **software** components, developed using diverse **software**
www.qucis.queensu.ca/Department/TechReports/Reports/1995-389.ps

[WinCandide 1.3 User's Manual - Ahlberg \(2001\)](#) (Correct)

model can the be manipulated using the different **toolbars**, by dragging it with the mouse, or by editing
 4 April 2001 Abstract WinCandide is a piece of **software** for handling, visualizing, and synthesizing
 A somewhat limited version of the WinCandide **software** package is freely available from the Image
www.icg.isy.liu.se/candide/wincandide/UsersManual.pdf

[A Constraint Interface for Managing Windows - Badros, Nichols, Borning \(2000\)](#) (Correct)

layout. Its constraint interface includes a **toolbar** for adding relationships and an "investigator"
 embeds our Cassowary Constraint solving toolkit (**software** and papers are available from www).

of the 1999 ACM Conference on User Interface **Software** and Technology, November 1999. 2] G. J. Badros,
www.cs.washington.edu/homes/gjb/papers/scwm-chi-2000.ps.gz

[Magpie - towards a semantic web browser - Dzbor, Domingue, Motta \(2003\) \(Correct\)](#)
concepts of interest highlighted using the Magpie **toolbar**, which extends the functionality provided by
kmi.open.ac.uk/people/dzbor/public/2003/iswc03-p47-dzbor-domingue-motta.pdf

[Performance Evaluation of a Mobile QoS Adaptation Strategy for... - George Lin \(1999\) \(Correct\)](#)
while the latter refers to M-QoS fulfillment, **upgrade** and downgrade. New procedures are defined for
www.cs.ucla.edu/NRL/wireless/PAPER/glin.ps.gz

[Proactive Price Regulation for Upgrading Telecommunications... - Wang, Peha \(1997\) \(Correct\)](#)
The extent to which society benefits from an **upgrade** to a telecommunications network infrastructure
www.ece.cmu.edu/~peha/proactive.pdf

[NP-Hard Network Upgrading Problems - Paik, Sahni \(Correct\)](#)
performance, performance enhancement, vertex **upgrades**, NP-hard _ This research was
ftp.cis.ufl.edu/pub/tech-reports/tr91/tr91-029.ps.Z

[Supporting Secure Canonical Upgrade Policies in Multilevel... - Simon Foley \(Correct\)](#)
Supporting Secure Canonical Upgrade Policies in Multilevel Secure Object Stores
www.cs.ucc.ie/~s.foley/pubs/acsac97.ps.gz

[Improving Minimum Cost Spanning Trees by Upgrading Nodes - Krumke, Marathe.. \(1997\) \(Correct\)](#)
weighted graph $G = (V, E)$ where node $v \in V$ can be **upgraded** at a cost of $c(v)$ This **upgrade** reduces the
www.c3.lanl.gov/~madhav/pubs.d/improve-jalg.ps.Z

[Kielikone MT Takes User-Friendliness Seriously - Kaarina Hyv \(Correct\)](#)
users TranSmart is just a new pull-down menu or a **toolbar** in their MS Word interface. This is what the
system when it elected TranSmart the best Finnish **software** product of the year 1996. Hundreds of daily
user who really takes full advantage of the **software**, a friendly user-interface is only the first
www.kielikone.fi/kielikone/kielikone/aslib98.ps

[Semantic Layering with Magpie - Domingue, Dzbor, Motta \(2003\) \(Correct\)](#)
concepts of interest highlighted using the Magpie **toolbar**. A key requirement for the design of Magpie was
In Proc. of the 7 th Knowledge-Based **Software** Engineering Conference (KBSE'92)1992: IEEE
kmi.open.ac.uk/people/dzbor/public/2003/Dxx-Dom-Dz-Mo.pdf

[A Proposed NSLS X-Ray Ring Upgrade Using B Factory Technology - Blum National Synchrotron \(Correct\)](#)
A Proposed NSLS X-Ray Ring Upgrade Using B Factory Technology E.B. Blum,
www.aps.anl.gov/conferences/mirrored/www.cern.ch/accelconf/p95/ARTICLES/FAR/FAR01.PDF

First 20 documents [Next 20](#)

Try your query at: [Amazon](#) [Barnes & Noble](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - citeseer.org - [Terms of Service](#) - [Privacy Policy](#) - Copyright © 1997-2002 [NEC Research Institute](#)

Searching for PHRASE **upgrade toolbar software**.

Restrict to: [Header](#) [Title](#) Order by: [Citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

1000 documents found. **Only retrieving 62 documents (System busy - maximum reduced)**. Retrieving documents... Order: **relevance to query**.

[Computer-Aided Instrumentation in OSU's Machines Lab - Gedra](#) (Correct)

gedra@master.ceat.okstate.edu Abstract-An **upgrade** to OSU's undergraduate electrical machines lab and process data. This is provided by LabVIEW **software** from National Instruments. The combination of and processing of information is controlled by **software**, and can be easily reconfigured to suit various power.ecen.okstate.edu/gedra/iop97.ps

[A Security Model of Dynamic Labeling Providing a Tiered.. - Simon Foley \(1996\)](#) (Correct) (2 citations)

A widely used strategy is to permit only **upgrades** from below. For example, in [19, 16]requests java.sun.com/people/gong/papers/relabel.ps.gz

[Rules and agents for automated management of distributed systems - Koch, Krämer \(1996\)](#) (Correct) (2 citations)

Now the administrator wants to install a **software upgrade** for a server. This requires a shutdown of the management tools delegated to the processcentered **software** development environment Marvel. Rule chaining is of data. Now the administrator wants to install a **software upgrade** for a server. This requires a shutdown www.fernuni-hagen.de/DVT/Publikationen/Papers/dsej.ps.gz

[Software Synthesis via Domain-Specific Software Architectures - Waite, Sloane](#) (Correct)

Software Synthesis via Domain-Specific Software

Software Synthesis via Domain-Specific Software Architectures William M. Waite and Anthony M. 430 University of Colorado Boulder, Colorado **Software Synthesis via Domain-Specific Software** www.cgl.uwaterloo.ca/~rnkazman/waite.ps

[Ciao: A Graphical Navigator for Software and Document.. - Chen, Fowler.. \(1995\)](#) (Correct) (15 citations)

Ciao: A Graphical Navigator for **Software** and Document Repositories Yih-Farn R. Chen to retrieve and link information from various **software** documents to accomplish a maintenance task. Ciao structural connections embedded in different **software** and document repositories. A repository consists www.research.att.com/~ciao/doc/ciao-icsm.ps.gz

[Performance of Image and Video Processing with.. - Ranganathan, Adve.. \(1999\)](#) (Correct) (22 citations)

of programming, higher performance growth, easier **upgrade** paths between generations, and cost 1.2X performance benefits with the larger caches. **Software** prefetching provides 1.4X to 2.5X performance is a significant problem. With the addition of **software** prefetching, all our benchmarks revert to being www.ece.rice.edu/~sarita/Publications/sca99.ps

[User Guide - To The Visualization](#) (Correct)

. 7 2.2.2 The **Toolbar** .

User Guide to the visualization **software** implemented as part of the diploma thesis A aggregate to a le, you need to run Houston, the **software** described in [Sch01]Appropriate XML documents www.cis.uni-muenchen.de/projects/x2/schilling/userguide.ps.gz

[A Tree-Based, Graphical Interface for Large Proof Development - Schubert, Biggs](#) (Correct)

through an emacs-style input window, a utility **toolbar**, and a collection of windows that display has been ported to a wide range of hardware and **software** platforms. The Xt Intrinsics toolkit provides a Proceedings Of The Fifth Acm Sigsoft Symposium On **Software Development Environments**, December 1992. ftp.dcs.glasgow.ac.uk/pub/hug94/schubert.ps.gz

[Unknown - Max Plus II](#) (Correct)

Name Maximize Button Application Icon (or Box) **Toolbar** Maxplus II Getting Started 80 Altera Device Programming. Maxplus II Development **Software**, Shown In Figure 2-1, Is A Fully Integrated interface to other industrystandard CAE **software**. 81_GSBOOK.fm5 Page 74 Tuesday, October 14, arch.cs.ucdavis.edu/~chong/154B/81_gs2.pdf

[Pattern Hatching - Tooled Composite John](#) (Correct)

these tools are grouped on the right of the **toolbar** atop the editor window. Presently there are

238-239. 14 Buschmann, et al. Pattern-Oriented **Software** Architecture: A System of Patterns, Wiley, www.research.ibm.com/designpatterns/pubs/ph-sep99.pdf

Visual Query Tools for Uncertain Spatio-Temporal Data - Malan, Marsden, Blake (Correct)
queries for business problems. She proposed a **toolbar** of options for selecting data, which included Queries: for visual information seeking. In IEEE **Software**, volume 11, Nov 1994, 70-77. 6] Williamson, C. www.cs.uct.ac.za/Research/CVC/Publications/acmmultimedia01_1malan.pdf

Windows NT, Word 97 and Office are trademarks of Microsoft.. - Ra Ti On (Correct)
by clicking buttons on Standard and Formatting **Toolbars** Set tab stops and indents with the ruler Use the www.ncl.ac.uk/ucs/docs/pdf/125.pdf

The PLGraph Library - Andreas Holzmann Andreas (Correct)
11 1.1.2. **Toolbar**
guiness.cs.uni-dortmund.de/projects/METAFrame/plgraph/userguide.ps.gz

A Methodology for Structuring Web Documents - Allwright, Pritchard, Jones.. (1996) (Correct)
Our added navigation mainly takes the form of a "**toolbar**" a series of clickable graphical icons on a www.ecs.soton.ac.uk/publications/rj/1995-1996/ccg/jra/...pdf/ccg/jra.pdf

IEEE November 10 - 13, 1999 San Juan, Puerto Rico - Developing Effective.. (Correct)
and menus)a typical way is to use a navigational **toolbar**. A navigational **toolbar** is a window that appears impact on educational practice. A variety of **software** exists for authoring interactive multimedia tools like image editors audio and video capture **software** and hardware, and audio and video editors. The lie.engrng.pitt.edu/lie99/papers/1367.pdf

Independently Extensible Systems - Software Engineering.. - Szyperski (1996) (Correct) (24 citations)
Independently Extensible Systems -**Software** Engineering Potential and Challenges-Clemens c.szyperski@qut.edu.au Abstract Component-based **software**, open systems, and document-based user most areas traditionally addressed by the **software** engineer. We claim that many traditional www.fit.qut.edu.au/~szyperski/pub/ACSC96.ps.gz

Binary Relational Algebra Applied to Software Architectural - Holt (1996) (Correct) (3 citations)
Page 1 Binary Relational Algebra Applied to **Software** Architectural R. C. Holt, holt@csri.toronto.edu
Page 2 Binary Relational Algebra Applied to **Software** Architectural R. C. Holt, holt@csri.toronto.edu
Mar 96 Abstract. The architecture of a piece of **software** refers to its structure as given by its ftp.cs.toronto.edu/pub/reports/csri/345/345.ps.Z

High-Level Coordination Abstractions in Stock Languages CIS TR.. - Matthew Dwyer (1996) (Correct)
ABSTRACT Abstraction is a fundamental concept in **software** engineering. In this paper, we describe a class that can simplify the construction of concurrent **software**, we call them coordination abstractions. programming languages. Keywords concurrent **software**, **software** architecture, design patterns, ftp.cis.ksu.edu/pub/CIS/Dwyer/papers/coordabs.ps

A Hypertext System for Integrating Heterogeneous, Autonomous.. - Noll, Scacchi (1994) (Correct) (2 citations)
System for Integrating Heterogeneous, Autonomous **Software** Repositories John Noll and Walt Scacchi to the integration of heterogeneous, autonomous **software** repositories, and presents a solution called the Considerable research has been devoted to **software** object management. Table 1 summarizes some of owis.usc.edu/dept/ATRIUM/Papers/Integrating_Software_Repositories.ps

Disco: Running Commodity Operating Systems on Scalable.. - Bugnion, al. (1997) (Correct) (25 citations)
many of the challenges facing the system **software** for these machines. We demonstrate our approach hundreds of processors. Unfortunately, the system **software** for these machines has often trailed hardware in alternative approach for constructing the system **software** for these large computers. Rather than making www-flash.stanford.edu/pub/hive/SOSP97-disco.ps.gz

[Documents 41 to 60](#) [Previous 20](#) [Next 20](#)

Try your query at: [Amazon](#) [Barnes & Noble](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - citeseer.org - [Terms of Service](#) - [Privacy Policy](#) - Copyright © 1997-2002 NEC Research Institute